

621.9

MARKWELL MANUFACTURING CO., Inc.



176 FRANKLIN STREET
NEW YORK,
N. Y.



CATALOG NUMBER FIFTEEN

Presented by MR. A. I. OBSTFELD



Products of Experience

CATALOG NUMBER FIFTEEN

DESIGN

EFFICIENCY



DURABILITY

QUALITY

Markwell Manufacturing Co., Inc.

NEW YORK, N. Y.


*The Best Guarantee for the Purchaser is the
NAME of a well-known and Reliable
Manufacturer.*

TRADE



MARK

SCREEN WIRE STRETCHER



PRICE \$50.00
F.O.B., MILWAUKEE

A very convenient and quick operating device for stretching screen wire. It stretches the wire and holds it while tacking, until it is released. It is operated entirely by foot, and works faster and far better than home made devices. Makes your screen 100% Perfect. Will take any width wire up to 48 inches, but can be built larger if desired.

Portable and Stationary Models

LOCKHART PLANING MILL

C. C. SHAW, Manager

All Kinds of Wood Work, House Trim, Cabinet Work

Window Screen, Sash, Doors, Moulding and Turned Work

LOCKHART, TEXAS March 26, 1923.

Markwell Manufacturing Co., Inc.
New York, N. Y.

Gentlemen:-

I have been using your screen wire stretcher since March 1920, and will say that I wouldn't be without one if it cost me \$100.00.

I had been trying in all the markets of the United States for five years to find a wire stretcher that would do what yours will do. Had made a lot of homemade make-shifts and would discard one after another as they wouldn't answer the purpose, but since I have yours I am through hunting for a wire stretcher.

Yours truly,

C. C. Shaw

Your screen wire stretcher is just what we have been looking for, for some time.
Hollenbeck-Bush Planing Mill Co., Fresno, California.

It gives us great pleasure to recommend your screen wire stretcher. Best we ever had. Pays for itself quickly.


The C. M. Trautschold Co., Waco, Texas.

TRADE



MARK

CLAMPING BENCH

 PRICE \$200.00
 F.O.B., MILWAUKEE


This Improved Device is an indispensable Tool in the manufacture of Screens, Storm Sash, Doors, etc. It is built entirely of metal amply braced and trussed. By its use the difficult task of laying out different sizes of frames, etc., is done away with entirely, as the various sizes are stamped on the Clamping Beams (which move parallel by turning crank) and all the operator does is to move the steel clamping block to the respective marks, place the material and clamp up by simply turning the crank a few turns. Boring and Dowelling is being done while in clamp. It will take frames up to 5 ft. wide and 10 ft. long, but can be built larger if desired.

 Manufacturer of
 SCREENS, FRAMES, TANKS, ETC.

Henry A. Ruter
 CONTRACTOR
 AND BUILDER

 MODERN HOMES A SPECIALTY
 JOBBING, ETC.

54 GENEVA ST.

PHONE 2214

Burlington, Wis., Mar. 24, 1923

 Markwell Mfg. Co., Inc.
 735-736 Greenwich St.,
 New York, N. Y.

Gentlemen:-

Replying to your letter of March 21st., regarding the Clamping Bench and Wire Stretcher will say that I have used this machine for eight or nine years and it has proved to do all the manufacturer claims it will do.

It no doubt is the best machine for making screens, that there is on the market today, and I would not part with it for twice the amount I paid for it, if I could not get another one to replace it.

Yours very truly


Henry A. Ruter

TRADE



MARK

ACME AUTOMATIC SCREEN TACKER



Eight times faster than the hammer and tack

A slight pressure of the hand drives a broad flat double pointed staple into hard or soft wood. Staple straddles five strands of wire. No banging of fingers and no waste. Holds twice as strong as tacks. Screen manufacturers now using the ACME use three staples in place of five tacks.

A WORLD BEATER FOR TACKING TAGS ON SHIPMENTS.


MODEL "C" (for flat surface lumber)

MODEL "E" (for flat and rabbeted lumber)

Staples put up 5,000 in a box.

F.O.B. New York

OBRO AUTOMATIC SCREEN TACKER



Staples put up 5,000 in a box.

F.O.B. New York



MARK

406 LUCY F. A. WYHAM & PETER J. ...

GUY A. WYMAN, Vice President

SMITH & WYMAN CO.

MANUFACTURERS OF
SASH, DOORS & INTERIOR FINISH

29. BG 1.1 Data stream

MINNEAPOLIS, MINN. 1/24/22

DISTRIBUTE WAREHOUSES
ABSCREE N 50 CAR.
N 50 CAR.

The Markwell Mfg. Co., Inc.,

Greenwich St.,

MAIN OFFICE: 260 CALIFORNIA ST., SAN FRANCISCO
CITY OF HILLS: 1,000,000

ELBERRA, CALIF
CAR AND CARGO SHIPPERS OF REBWOOD
MFRS. OF DIVERS BARK FRAMES, COLUMNS,
MOULDINGS, BALUSTERS, TANK AND SILD
POCKS, PATTERNS, SIDING
FINISH AND SHINGLES

ASTORIA, OREGON
 LONG TONGUE BRIDGE AND RAILWAY TIEBARS,
 CAR MATERIAL, FLOORING, CEILING,
 RUSTIC FISH, DIMENSIONAL
 PLUMS AND PULPS

MILL CITY, OREGON
CAR SHIPPERS OF DOUGLAS FIR AND HEMLOCK
LONG TIMBERS BRIDGE AND RAILWAY TIMBERS
CAR MATERIAL, FLOORING, CEILING,
EVENING, PLYM, STRUCTURE,
MINING TIMBERS.

HAMMOND LUMBER COMPANY
2010 SOUTH ALAMEDA ST.

2010 SOUTH ALAMEDA STREET
LOS ANGELES, CALIF.

Markwell Manufacturing Co.,
733 Greenwich Ave.,
New York City, N. Y.

January 31, 1922

Gentlemen:

The California Door Co.

Office and Factory

Fifteenth and Wood Sts.

March 1895
San Francisco De Angeles

Leandra *Ward*

Timber Yard.
Diamond Springs Farm

Law. H. D.
Lorado Young, Est.

CABLE ADDRESS "CALOOR"

Oakland, Cal Jan. 27th, 1922

Markwell Manufacturing Co.
733 Greenwich St.
New York City.

Gentlemen;

Replaying to your inquiry of the 13th inst. relative to our experience in using the same Automatic Tackling Machine - we are pleased to advise that this method of attaching wire screening to our Doors and Window Screens is so far superior to former arrangements that we would not consider any other means of doing the work except by use of your Automatic Tackling Machine.

Yours very truly,

THE CALIFORNIA DOOR CO.

77 E. A. Bell
Supt.

Your screen wire stretcher is entirely satisfactory. It saves considerable time. We intend to buy some more shortly.

Riecke Cabinet Works, New Orleans, La.

TRADE



MARK



No. 1 MOULDING MITRE CUTTER

THIS HANDY TOOL IS FILLING A LONG FELT
WANT WITH WINDOW SCREEN MAKERS

It cuts smooth both ends of a strip in less time than it can be dropped in a mitre box, and does it right every time. It is operated entirely by foot and is so simple that any boy can operate it. Cuts up to 1 inch wide.

F.O.B. Milwaukee or New York

Kurtz-Steenberg Lumber Company
THE COVERED YARD

ANYTHING YOU NEED
IN THE
Building Line
PHONE 6634-440

OFFICE AND WAREHOUSE
CORN FIFTH AND BROAD AVENUES

AUSTIN, TEXAS.

February 10, 1922.

Markwell Mfg. Co., Inc.
176 Franklin St.,
New York, N. Y.

Dear Sirs:-

4th inst.

In reply to your letter of the

We turned your letter over to our mill foreman, Mr. Anderson, and in handing it back to us stated that the machine was entirely satisfactory. He says that it will save from three to five minutes time on each screen, which amounts to a great deal in a year's time.

If we hear of any prospects in your line we will be glad to refer them to you.

Yours very truly,

KURTZ-STEEENBERG LUMBER COMPANY

Your mitre cutter has enabled us to do with one man less in our Glazing Room. It is better than any other cutter we have used.

Harper Lumber & Manufacturing Co., Plant City, Fla.
We recommend your mitre cutter for screen work.


Hipolito Screen & Sash Co., Los Angeles, California.
We could not do without your mitre cutter. It does the work better and faster.

TRADE



MARK

No. 8 FOOT POWER MITERING MACHINE



No. 8 FOOT POWER MITERING MACHINE

This is the most useful machine ever used by carpenters, cabinet makers and others, for mitering mouldings.

It cuts a perfect miter; no guess work.

The base is cast iron, strong and heavy.

The steel gauge has two adjustable stops which enables the operator to cut both short and long mouldings for a panel.

The gauge is two feet long and the attachments are so constructed that the purchaser can put on any length at his pleasure.

The stops on the rod can be thrown up and down as indicated in illustration.

Cuts up to $2\frac{1}{2}$ inches wide.

F.O.B. New York

TRADE




MARK

NO. 1 MITRE JACK

Cuts 7" Wide, 4" High

A most wonderful little machine for cutting square round or mitre joints quickly.

F.O.B. New York



This 24 in. moulding was cut in two seconds with one stroke of the handle. For a fine job make the second light cut as slow as you wish.

You can cut off 1/4 in. from an oak casing 6 1/2 in. wide, can mitre 6 1/2 in. casing, and have off timber, casing, and so on, all or part way across the end.

One can mitre clappingboard both angles with one cut at the rate of 7 men with the old method of hand-saws.

This shows the finished end of a casing board. You can mitre up to 6 in wide, or square off more than 7 men with hand-saws.

A shelf 1 or 10 ft. long, any width to 10 in., can be cut round. This was done in 11 seconds. One man can square off more boarding. It is a most wonderful tool for carpenters, cabinet makers, planing mill, pattern makers, etc.

NO. 2 HAND MITRE JACK


This is the most useful machine ever used for mitring mouldings by carpenters, cabinet makers and others.

It cuts a perfect mitre; no guess work.

Has adjustable jib to compensate for wear.

Cuts up to 2 1/2 inches.

F.O.B. New York



THE STANDARD MITERING MACHINE OF THE
WORLD FOR THE LAST FIFTY YEARS

TRADE



MARK

INSECT SCREEN CLOTH



Copper Screen Cloth

Made of Copper 99.8% Pure



Let us show you a sample

INSIST ON THE BEST—FORGET THE REST


TRADE




MARK

THE "MARKWELL" WINDOW SCREEN HANGER

For Full Length Windows



Applied to Sash



2/3 Size

These hangers are made from wrought steel in japanned or galvanized finish. They are easy to apply and screens can be removed and replaced with very little effort.

Packed in sets with screws. One dozen sets in a box, 3 gross in a case.

Weight per gross 21 lbs.

F.O.B. New York

ALUMINUM RAISED CHARACTER NUMERAL NAILS

Put up 25 of a number in a box—1,000 assorted in a carton.



F.O.B. New York

BRASS SUNKEN CHARACTER NUMERAL NAILS

Put up 25 of a number in a box—1,000 assorted in a carton.



F.O.B. New York

TRADE



MARK

MARKWELL MAGNETIC BRAD SET

Every pattern-maker wants one.

Every carpenter, cabinet-maker, every glazier needs one.

It will soon become the last tool in his kit with which he would part.


For putting leather fillets on patterns it has no equal.

To operate simply put brad in end of set, and place set against material into which brad is to be driven, and push brad to desired position.

Works in hard as well as soft wood, leather, etc.

If one hand is engaged in holding a piece in place, grasp barrel of set between first and second fingers, and pull until magnetic ram is exposed, when it will readily pick up brad, which has been thrown on bench or other convenient place.

No nail set required, as brad will be set beneath surface far enough to cover with putty or wax.



The Magnetized Ram Picks 'Em Up in a Jiffy



Easily Reaches Most Unhandy Places



A Push Does the Trick

F.O.B. New York



BRASS BRADS (Corrugated)



Put up in 25 and 50 lb boxes.

Also 100 lb. kegs.

ALL SIZES.

F.O.B. New York

TRADE



MARK

MARKWELL ADJUSTER AND FASTENER

For Storm Sash and Window Screens



Finish	No.
Japanned	1122J
Galvanized	1122G

Can be used with any style of window hanger. The arm contains two square notches on each side which allows the window to be opened in two positions, and the round notch snaps under screw head and forms a secure lock when closed.


It is made of wrought steel and has a rib embossed the length of the rod which adds greatly to its strength.

Packed one dozen pairs in a box with screws.

Weight 66 lbs. per gross pairs.

F.O.B. New York

MARKWELL SCREEN DOOR PULL



Cut Full Size

Wrought Steel

Finish	No.
Japanned	1769
Bronze Plated	1770
Brass Plated	1771
Antique Copper (Mottled)	1772
Dull Brass	1773
Bower Barff	1774
Nickel Plated	1775
Sanded Antique Brass	1776


A steel pull $3\frac{1}{2}$ inches in length for screen doors, etc.

Packed $\frac{1}{2}$ gross in a box with screws.

Shipping weight per gross, $5\frac{1}{2}$ lbs.

F.O.B. New York

No. 333 SCREEN DOOR HINGE SETS



Finish	No.
Japanned	333J
Antique Copper (Mottled)	333AC
Dull Brass	333DB
Sanded Antique Brass	333SAB

This set consists of one pair of hinges, our No. 333, complete with screws. One stamped steel pull with screws and one 2½ inch gate hook and eye.

Packed one set in a carton,
½ gross in a case.

Shipping weight per gross
104 lbs.

F.O.B. New York

No. 322 SCREEN DOOR HINGE SETS


Finish	No.
Japanned	322

This set consists of one pair of our No. 322 Hinges, complete with screws, one stamped steel pull, with screws, one 2½ inch gate hook and eye. Hinges finished in bright Japan, pulls are brass plated.

Packed one set in a carton,
½ gross in a case.

Shipping weight per gross
90 lbs.

F.O.B. New York




TRADE



MARK

MARKWELL MORTISE SCREEN DOOR LATCH SET



Wrought Steel

Finish	No.
Bronze Plated	1271
Brass Plated	1272
Antique Copper (Mottled)	1273
Dull Brass	1274
Bower Barff	1275
Nickel Plated	1276
Sanded Antique Brass	1277
Sanded Nickel	1278
Dull Nickel	1279

Wrought Brass

Bronze	1280
Brass	1281
Antique Copper (Mottled)	1282
Dull Brass	1283
Nickel Plated	1284
Sanded Antique Brass	1285
Sanded Nickel	1286

For doors $\frac{7}{8}$ to $1\frac{1}{2}$ inches thick, opening in or out. Latch is $1\frac{3}{8} \times 2$ inches; size of face $1\frac{1}{8} \times 2\frac{3}{8}$ inches. Steel latch slide, backset $1\frac{1}{8}$ inches from face to center of hub; cast inside lever; one piece wrought knob; escutcheon $1\frac{1}{2} \times 4\frac{1}{2}$ inches; slide lock on inside escutcheon.

Packed one set in a box complete with screws, $\frac{1}{2}$ gross in a case.

Weight per dozen $9\frac{1}{2}$ lbs.


F.O.B. New York

TRADE



MARK

MARKWELL RIM SCREEN DOOR LATCH SET



Finish	Wrought Steel	No.
Bronze Plated		1481
Brass Plated		1482
Antique Copper (Mottled)		1483
Dull Brass		1484
Bower Barff		1485
Nickel Plated		1486
Sanded Antique Brass		1487
Sanded Nickel		1488
Dull Nickel		1489
	Wrought Brass	
Bronze		1490
Brass		1491
Antique Copper (Mottled)		1492
Dull Brass		1493
Nickel Plated		1494
Sanded Antique Brass		1495
Sanded Nickel		1496

For doors $\frac{7}{8} \times 1\frac{1}{2}$ inches thick opening out. Wrought metal latch is $2 \times 2\frac{3}{8}$ inches, reverse bevel slide, angle strike, one piece wrought knob, cast lever, thumb slide lock, backset $1\frac{3}{8}$ inches from face to center of hub, wrought escutcheons $1\frac{1}{2} \times 4\frac{1}{2}$ inches.

Packed one set in a box complete with screws, $\frac{1}{2}$ gross in a case.

Weight per dozen $9\frac{1}{2}$ lbs.

F.O.B. New York

TRADE



MARK

THE CHAMPION MORTISER


Made in Two Models

Motor Driven Model
attached to door



Weight 100 lbs.
Shipping Weight
110 lbs.

Hand Model, attached to door



It Cuts a Perfect Mortise
in Any Kind of Wood

Weight 25 lbs.
Shipping wt.
35 lbs.

It makes no difference whether it be in hard wood, soft wood, cross grained or end wood, through knots or dowel pins, the result is always the same—a perfect mortise with straight sides and smooth bottom. Nor do you have to guess as to the size. You merely select a bit of the proper size, insert it in the machine, attach machine to the door, or other piece to be mortised, set the automatic stop, then turn the handle or start the motor.

Now isn't that lots easier than it is with hammer and chisel? We know it is safer and surer, because our customers have proven it.

Runs Easily and Cuts Accurately

Even the Hand Power Model runs surprisingly easy because of its special construction which includes a balance wheel to help maintain a uniformly steady movement of the cutting bit. This fact, plus the accurate gauge and automatic stop, results in a perfectly cut mortise each time. And anyone can do this; no skill is required.

Fully Guaranteed

Every part of the Champion Mortising Machine is guaranteed against defective material or faulty workmanship. Any parts or pieces which may break or become damaged through either of the above causes, will be replaced or repaired within one year from date of purchase.

Furnished Complete

The Hand Power Model is furnished complete with any two of the following size bits: $\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", or $\frac{1}{2}$ ". The Power Mortiser is furnished complete with $\frac{1}{4}$ H. P. Motor for A. C. or D. C. current of any voltage, whetstone, oil can, and any four of the following bits: $\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", 1" or 1 $\frac{1}{4}$ ". Extra bits for either machine furnished.



F.O.B. Columbus, Ohio or New York


TRADE



MARK

THE EMMERT UNIVERSAL PATTERN MAKERS AND WOOD WORKERS VISE

The Standard Vise for Woodwork of
All Kinds



Normal Position

All parts are absolutely interchangeable.
Easily and quickly handled.

Special Web Construction of Jaws Gives
Greater Strength by Actual Test With
Other Vises. Jaws Will Not Spring.

Jaws Can Be Revolved in a Complete
Circle and Set at ANY Point, Instead of
Only at Fixed Stops.

Jaws Can Be Revolved Without Loosening
or Removing Work, As in Other Vises.

Can Be Adjusted at Either End for
Wedge Shapes Instead of Only One End.

Taper Adjustment Quickly Secured by
Large Hand Adjusting Collar. Can Be
Locked and Securely Held.

Has Set of Steel Faced Jaws Firmly
Riveted in Jaws for Holding Metal.

Jaws Have Opening Capacity of 15
Inches.

A Flat Rack Bar Clamping Thru a Slot
in Center Is Used Instead of a Round Rod
Working Thru a Clamp Nut to Hold Vise
at Any Angle within 90 Degrees of Bench.
This Insures More Rigid Support.

Vises Are Neatly Painted. Attractive in
Appearance.

Fully Guaranteed in Every Respect.

More Than 150,000 in
Use Everywhere

The

"EMMERT"

Universal Vise

holds all kinds of work in
any position

The Peer of All Wood
Workers' Vises

For Pattern Shops

Planing Mills


Carpenter Shops

Cabinet Makers

and

Woodworking Plants

of All Kinds



Vise in Position to Hold Work
Above Level of Bench Top

SIZES

Emmert Universal Vises

Vise No.	Size of Jaw	Opens	Weight
1	7 x 18 in.	15 in.	86 lbs.
2	5 x 14 "	12 in.	56 lbs.


F.O.B. Waynesboro, Pa. or New York

TRADE



MARK

EMMERT HAND SCREWS WOOD SPINDLE



These Hand Screws are made from the best stock, thoroughly seasoned and kiln-dried. Each piece is carefully selected and free from imperfections.

The Screws are made of eastern second growth hickory, and are interchangeable in our own and other makes.

All Hand Screws are oiled; each size is plainly numbered, and they are conveniently packed in lots of one dozen; Jaws and Screws complete.

HAND SCREW PRICE LIST

Number	Dia. of Screw	Length of Screw	Length of Jaws	Size of Jaws	Open	List Price Per Doz.	Weight Per Doz.
800	1¼	28	24	3 x 3	17	\$40.00	150
801	1⅓	26	22	2¾ x 2¾	15½	35.00	130
802	1½	24	20	2⅝ x 2⅝	13¾	32.00	116
803	1⅞	22	20	2½ x 2½	12	30.00	110
804	1⅞	22	18	2½ x 2½	12¼	28.50	95
805	1⅞	20	18	2⅜ x 2⅜	10½	27.00	85
806	1	20	16	2⅜ x 2⅜	11	25.00	75
807	1	18	16	2¼ x 2¼	9¼	23.50	70
808	⅞	18	14	2⅞ x 2⅞	10	22.00	50
809	⅞	16	14	2 x 2	8¼	20.00	42
810	⅞	16	12	1⅞ x 1⅞	8½	18.50	36
811	¾	14	12	1¾ x 1¾	7¼	17.00	28
812	¾	12	10	1⅝ x 1⅝	5½	14.50	20
813	⅝	10	8	1⅜ x 1⅜	4½	12.00	12
814	⅝	8	7	1½ x 1½	3	9.50	8
815	½	6	5	1 x 1	2	8.00	4
816	½	5	4	⅞ x ⅞	1¼	7.00	3

When screws or jaws are ordered separately, either screw or jaw will be furnished at one-quarter of the price of the corresponding hand screw complete.

F.O.B. Waynesboro, Pa. or New York

TRADE



MARK

EMMERT HAND SCREWS

STEEL SPINDLE

The EMMERT Saves Time — The EMMERT Is Guaranteed

In the manufacture of the Emmert Adjustable Steel Spindle Hand Screw only the best selected straight-grained hard maple is used for the Jaws, the threaded spindles and nuts are of cold drawn steel. The threads are accurately cut and are of the quick-acting type. The various parts are so designed as to give great strength. The double thread screw permits the Hand Screw to open and close much faster than the wood spindle type of hand screw.



Steel Spindle Hand Screws NET PRICE LIST

Emmert Adjustable Type

No.	Length of Jaws	Maximum Opening Between Jaws	Price per Dozen
10	8"	4½"	\$13.20
11	10"	6 "	15.60
12	12"	8½"	17.40
13	14"	10 "	19.20
14	16"	12 "	22.80

F.O.B. Waynesboro, Pa.

THE EMMERT SPECIAL HAND SCREW

With Gordon Miter Jaw Attachment

Our Special Hand Screws are designed to accommodate Gordon Miter Jaws which are adapted to hold miters of all kinds, and at the same time the Hand Screws may be used as an ordinary Hand Screw.

PRICE LIST

Emmert Special Hand Screws
with Gordon Miter Jaws attached:

8½".....\$24.40 per doz.


10½"..... 26.20 " "

Emmert Special Hand Screws
with Plain Jaws:

8½".....\$15.60 per doz.

10½"..... 17.40 " "

Length of Jaw 8½", opens 6".
Length of Jaw 10½", opens 10".



Emmert Special Clamp with
Gordon Miter Jaw Attached

F.O.B. Waynesboro, Pa. or New York


TRADE



MARK

MARKWELL'S SUPERIOR CORRUGATED JOINT FASTENERS


Illustrating just a few of the many uses to which they can be put.



Made in $\frac{1}{4}$ "—737 to a lb., $\frac{3}{8}$ "—443 to a lb., $\frac{1}{2}$ "—313 to a lb., $\frac{5}{8}$ "—233 to a lb., $\frac{3}{4}$ "—198 to a lb., 1"—146 to a lb. depths. 5 Corrugations. Saw Edge Divergent Type. Put up in 25 lb. and 50 lb. boxes, also 100 lb. kegs.

F.O.B. New York

MARKWELL BENCH STOP



No. 1—Face polished
Face, $3\frac{1}{2}$ x2 in. Stop, $1\frac{1}{4}$
in. sq. Weight, 14 oz.

A bench stop is a necessity in every wood working shop, being used to hold wood in position when it is being planed or otherwise worked. It is sunk into the work-bench so as to be flush when not in use, and by means of a set screw the toothed stop can be set at any desired height. It is very strong and durable as is evidenced by the fact that of the great number in use and the years it has been on the market, we have never received a complaint.

Made of semi and wrought steel. Packed $\frac{1}{2}$ dozen in a box.

Box measures 8x5.5x3 inches. Gross weight, 5.9 lbs. Net, 5.3 lbs.

F.O.B. New York

TRADE




MARK

CLAMP NAILS

"Steelgrip"

No. 9

For General Cabinet Work
Lumber of Medium Thickness
Made with Round Ends Only




9-16 in. Wide

"Siegler"

No. 10

For General Cabinet Work
Lumber of Medium Heavy Thickness
Made with Straight Ends Only




5-8 in. Wide

"Steelgrip"

No. 11



For Caskets, Etc.
Lumber up to 1 in. in Thickness
Made with Round Ends Only




11-16 in. Wide

PATENTS
U. S. AND FOREIGN

FEB. 15, 1921
APR. 25, 1922



Cut a slot,
drive in a
Clamp Nail
Wide End
First.
That's All.



Put up in 25-lb. and 50-lb. Boxes—Also 100-lb. Kegs.

F.O.B. New York or Chicago


TRADE



MARK

FLAT AND ROUND GLUE BRUSHES SET IN VULCANIZED RUBBER

No. 850 ROUND COPPER BOUND



GRAY RUSSIAN BRISTLES					
No.	Diameter	Length of Bristles	No.	Diameter	Length of Bristles
1	1 $\frac{1}{4}$ "	2 $\frac{1}{2}$ "	5	2 $\frac{1}{4}$ "	3 "
2	1 $\frac{1}{2}$ "	2 $\frac{5}{8}$ "	6	2 $\frac{1}{2}$ "	3 $\frac{3}{8}$ "
3	1 $\frac{3}{4}$ "	2 $\frac{3}{4}$ "	7	2 $\frac{3}{4}$ "	3 $\frac{3}{4}$ "
4	2 "	2 $\frac{7}{8}$ "	8	3 "	4 $\frac{1}{4}$ "

No. 96 ROUND RUBBER BOUND



ALL GRAY BRISTLES					
No.	Diameter	Length of Bristles	No.	Diameter	Length of Bristles
0	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	4	1 $\frac{7}{8}$ "	2 $\frac{1}{4}$ "
1	1 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	5	1 "	2 $\frac{1}{8}$ "
2	1 $\frac{5}{8}$ "	2 "	6	1 $\frac{1}{8}$ "	2 $\frac{7}{8}$ "
3	1 $\frac{3}{4}$ "	2 $\frac{3}{4}$ "			


No. 80 FLAT RUBBER BOUND



BLACK CHINA BRISTLES SINGLE THICK BRISTLE GLUE BRUSHES

Width	Length of Bristles	Width	Length of Bristles
1 "	1 $\frac{3}{8}$ "	3 "	2 $\frac{1}{4}$ "
1 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	3 $\frac{1}{2}$ "	2 $\frac{1}{4}$ "
2 "	1 $\frac{7}{8}$ "	4 "	2 $\frac{1}{2}$ "
2 $\frac{1}{2}$ "	2 $\frac{1}{8}$ "		

No. 92 FLAT RUBBER BOUND



GRAY RUSSIAN BRISTLES			
Width	Length of Bristles	Width	Length of Bristles
1 "	1 $\frac{3}{4}$ "	3 "	2 $\frac{3}{8}$ "
1 $\frac{1}{2}$ "	2 "	3 $\frac{1}{2}$ "	2 $\frac{5}{8}$ "
2 "	2 "	4 "	3 "
2 $\frac{1}{2}$ "	2 $\frac{1}{4}$ "		

F.O.B. New York

TRADE



MARK

ELECTRIC GLUE POT

"Used by the Best Craftsmen"



"HOLD-HEET" ELECTRIC GLUE POTS

Are Better Than Any You've Ever Used

If you don't believe it—here is your opportunity to get acquainted with one in your own plant. You'll find it does away with all those disadvantages you've put up with. There's no water jacket to watch and keep filled; there's no weak boiled-out or burned glue to work with; there's no cold, thick skin-covered glue to tolerate. The "Hold-Heet" Electric Glue Pot keeps its contents at the ideal temperature all the time. Connect it to your electric circuit and the built-in thermostat does the rest. The "Hold-Heet" Glue Pot is built for many a hard day's work. It's fully guaranteed.

HERE ARE THE SPECIFICATIONS

The "Hold-Heet" Electric Glue Pot is provided with a stainless heavy copper glue container with wiper rod and bail. The wide lip on this container causes all drippings to fall clear of the heating unit. The heating unit is built with a heavy copper seamless inner jacket. Outer shell for maximum strength is heavy galvanized steel coated with two coats of black enamel. All working mechanisms—the heating element, condenser, and thermostat—are perfectly protected from injury. No special wiring needed. All pots provided with a seven-foot cord and attachment plug.

Size	Watts	Size	Watts
1 Qt.	132	4 Qt.	330
2 Qt.	220	8 Qt.	660

In ordering, specify whether for 110 volt or 220 volt circuit.

F.O.B. New York or Chicago

TRADE



MARK

SHELLAC OR VARNISH POT

Made of Heavy Tin Plate or Copper

No.

19437.....	1 Pint
19438.....	1 Quart
19439.....	2 Quarts
19440.....	1 Gallon

Note the Wiper Rod.

F.O.B. New York



HAMMERS

Plain or Checker Face

16-oz. and 20-oz.



Half dozen in a carton.

F.O.B. New York

RUBBER MALLETS



F.O.B. New York

TRADE



MARK

WRECKING BARS




For Taking Up
Old Floors
For Wrecking
Buildings

For taking down concrete forms. Saves lumber, saves time, increases efficiency. Pays for itself on one job. Miles ahead of the old claw-bar method.




No. 3. 4-ft. long.

15 lbs.



No. 1. 2-ft. long. 4 lbs.



No. 2. 3-ft. long. 8 lbs.

No. 3 Bar for prying off heavy braces and supports.

No. 2 Bar for pulling off the 2x4's from the sheeting.

No. 1 Bar for pulling nails straight and rapidly from sheeting.


F.O.B. New York or Rockford, Ill.

TRADE



MARK

GLAZIER'S AUTOMATIC POINT DRIVER



(Pure Zinc)




No. 1 Points $\frac{3}{8}$ inch long for No. 1 Driver.

45,000 Points to a Box.
(9 Packages of 5,000 Each.)

5 Times Faster Than the Hammer or Ordinary Driver
Saves Time and Temper. No Points Wasted.

PURE ZINC AND ZINC COATED GLAZIER POINTS

(Actual size triangle.)



Broad Hatchets

Fire Bronzed



No. 361.....Size 1.....4" cut
363..... " 3.....5" cut
365..... " 5.....6" cut

One-third Dozen in a Box. Two Dozen in a Case.

Half Hatchets

Bell Pole

Adze Eye

Thin Bit



No. 315.....Size 1.....3" cut
No. 316.....Size 2.....3 $\frac{1}{4}$ " cut

Half Dozen in a Box. Six Dozen in a Case.
Prices on This Page F.O.B. New York

TRADE



MARK

UTILITY BENCH SAW

The Kennedy Utility Saw will take saws from 6" to 10". Model D will take Dado blades up to 2" width. The end of the spindle is bored to take a drill chuck, or it can be used for supporting a sander or emery. The Kennedy saw will rip or crosscut up to 3½ inch material, and cuts at any angle. With it you can also do Mitreing, Jointing, Bevel Jointing, Dadoing, Bevel Sawing, Boring, Rabbeting, Sanding and Grinding. And by means of a jig saw attachment, which can be furnished as an extra, you can do jig sawing. Or, by using a file instead of a saw, you can make dies, etc. Study the detailed specifications and see how sturdily it is constructed. Then read the guarantee back of the Kennedy Utility Saw. If it fails to please you in any way, the full purchase price will be refunded. Order it today, and try it out on your work, at our risk. That's the sensible way to determine if a piece of machinery is right for your purpose.

MODEL D

By exchanging pulleys you can reduce speed and use a saw for cutting metal.

Price: Includes pulley, 2 guides, one 7" crucible steel saw and spindle sleeves. F.O.B. Philadelphia or New York.

Dimensions: Base, 7"x14". Table, 13"x22½", with a 2"x10" slot. Height, 8". Weight, about 50 lbs. Boxed, about 68 lbs.



The Model D Kennedy Utility Saw is a really Universal Saw. It will do almost anything that can be done in wood and can also be equipped for cutting metal. The table has a throat 2"x10" to take a dado head. We furnish slotted wood filler for this throat when using saw. A series of sleeves or washers, which accommodate various widths of cutters from a saw blade to a 2" wide dado, are supplied to fit the spindle. Model D has all the advantages of making an endless variety of formed shapes. The detailed specifications show the sturdy construction. Try Model D on your work at our risk. Your satisfaction is guaranteed.

THE GUARANTEE BACK OF THE KENNEDY UTILITY SAW

The Kennedy Utility Saw is guaranteed to be exactly as described and illustrated, and to do satisfactory work within the capacity limits specified. Should any part be found to be defective, either in material or workmanship, it will be replaced free of charge. As for the performance of the machine generally you are protected by this specific guarantee: If the Kennedy Utility Saw fails to please you in any way, you are privileged to return it, and we will at once refund the full purchase price.

TRADE



MARK

SHIPPING ROOM SPECIALTIES

FOUNTAIN STENCIL BRUSH



Handle Holds the Ink. Flow Easily Adjusted. Tips Can Be Replaced.

FOUNTAIN MARKING BRUSH



Handle Holds the Ink. Flow Easily Adjusted. Tips Can Be Replaced.



LIQUID PREPARED MARKING AND STENCILING INK

Put up in 2 gal., 5 gal. and 10 gal. cans.

MARKWELL CRAYONS

All Colors.



- | | |
|----------|---------------------|
| No. 50 | Checking Crayon. |
| No. 150 | Marking Crayon. |
| No. 250 | Soft Lumber Crayon. |
| No. 1350 | Hard Lumber Crayon. |

NAIL PULLER



BOX SCRAPER



No. 16. Triangle.

The blade is made of high grade tool steel, carefully hardened and tempered.

It can be quickly turned to bring either of the three cutting edges into play, or removed for sharpening.

Length over all, 13 inches; weight, 24 ounces.

Prices on this page are F.O.B. New York

TRADE



MARK

THE AMERICAN SASH TRIMMER FOR MAKING DIVIDED LIGHT AND FANCY SASH

The present urgent
demand
for all kinds of
Divided Light Doors,
Diamond Light
and
Fancy Sash
must be supplied
quickly.
You can do this at
a great
saving if you
will install
this
machine.
Note the simplicity
of design, the
ease of operation,
the portable
feature,
the adaptability for
the different
classes of work, the
uniform cuts,
which does away with
all hand fitting,
also note
the possibility of a
great reduction in cost
on each
operation.



Shipping Weight 174 Lbs.
F.O.B. Bradley, Ill. or New York

INDEX

	Page
Bench Stops	19
Box Scrapers	27
Brad Sets, Magnetic	10
Brads, Brass	10
Brushes, Fountain Marking	27
Brushes, Fountain Stencil	27
Brushes, Glue	21
Clamping Benches	2
Clamp Nails	20
Corrugated Fasteners	19
Crayons	27
Hammers	23
Hand Screws, Steel Spindle	18
Hand Screws, Wood Spindle	17
Hatchets	25
Ink, Marking	27
Ink, Stenciling	27
Mallets, Rubber	23
Mitre Jacks, Hand	7
Mitre Cutter, Foot Power (Moulding)	5-6
Mortisers, Hand Power and Motor Driven	15
Nail Pullers	27
Numeral Nails, Brass and Aluminum	9
Point Driver, Glazier Automatic	25
Points, Glazier	25
Pots, Glue, Electric	22
Pots, Shellac	23
Pots, Varnish	23
Sash Trimmers	28
Saws, Utility, Electric	26
Screen Adjuster and Fastener	11
Screen Cloth, Insect	8
Screen Door Hinge Sets	12
Screen Door Latch Sets, Mortise	13
Screen Door Latch Sets, Rim	14
Screen Door Pulls	11
Screen Hangers	9
Screen Tackers, Acme Automatic	3
Screen Tackers, Obro Automatic	3
Screen Wire Stretchers	1
Shipping Room Supplies	27
Trimmers, Mitre	7
Wrecking Bars	24
Vise, Universal	16



TRADE MARK



Reg. U. S. Pat. Off.